



**220V-240V 50/60Hz CRI80 Scheibe klar
SANYA AC-V2 ECKIG Weiss 5, 5W IP40
2700K**

Article nr.: ALU46471UWW

for indoor use, IP40 · Housing: diecast aluminum (plastic protection plate, transparent) · Housing colour: white · swivel · Beam angle: 95° · Power: 5.5 W · Light colour: 2700 K · Luminous flux: 458 lm · CRI: >80 · Lifespan L70: >= 50.000 h · Input voltage: 230 V AC, 50 / 60 Hz · protection class I · Installation depth: 45 mm · Ceiling cut-out: 68 mm · External dimensions: 83 x 83 mm · not dimmable · When used in alternating or cross connection, the use of LED compensator in parallel · to the switching wire · SECONDLIFE ITEM -heavily discounted- only while stocks last!

TECHNICAL DATA

| | |
|-------------------------|--------------------------|
| Unit Code | pcs |
| BAR code | 4012094564715 |
| Housing colour | Weiss |
| Length | 83.00 mm |
| Width | 83.00 mm |
| Height | 34.50 mm |
| Hole size | 68 mm |
| Depth in ceiling | 45.00 mm |
| LED colour | ca. 2700K ultra warmweiß |
| Lightoutput per fixture | 458.00 lm |






**220V-240V 50/60Hz CRI80 Scheibe klar
SANYA AC-V2 ECKIG Weiss 5, 5W IP40
2700K**

Article nr.: ALU46471UWW

TECHNICAL DATA

| | |
|-----------------------|---------------|
| Lamp | including LED |
| IP rating | 40 |
| Power | 5,5 W |
| Current mA | 24 mA |
| Voltage | 230 V |
| Lamp base | ohne |
| Material | Aluminium |
| Temperature range | -20 - 50 |
| CRI | ≥ 80 |
| Suitable light source | |





220V-240V 50/60Hz CRI80 Scheibe klar
SANYA AC-V2 ECKIG Weiss 5, 5W IP40
2700K

Article nr.: ALU46471UWW

TECHNICAL DRAWING

image not found or type unknown

