




cut-out 10, 5mm LD Spot 1W 300mA
30° 3000K chrom
 Article nr.: ALU53104

Spotlight for display case lighting, non-swivelling · power: 1 W · light colour: 3000 K · luminous flux: 52 lm · beam angle: 30° · CRI: >90 · lifespan L70B50: >= 48,000 h · power supply: 300 mA DC · protection class III, IP20 · diameter: 12 mm · installation diameter: 10,5 mm · height: 13 mm

TECHNICAL DATA

Unit Code	pcs
BAR code	4251835031042
Housing colour	Chrom
Height	13.00 mm
Outer diameter	12 mm
Hole size	10 mm
Depth in ceiling	12.00 mm
LED colour	ca. 3000K warmweiß
Lightoutput per fixture	52.00 lm
Lamp	including LED





cut-out 10, 5mm LD Spot 1W 300mA
30° 3000K chrom
Article nr.: ALU53104

TECHNICAL DATA

IP rating	20
Power	1 W
Psb	0,00 W
Current mA	300 mA
Amount of LED	1
Material	Aluminium
Temperature range	-20 - 45
CRI	≥ 90
Lifetime L70B50	48.000 h
Suitable light source	





cut-out 10, 5mm LD Spot 1W 300mA
30° 3000K chrom
Article nr.: ALU53104

TECHNICAL DRAWING

