rutec LIGHTDESIGN GmbH | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE



cut-out 18mm LD Spot 1W 300mA 30° 3000K gold

Article nr.: ALU53113

installation diameter: 18 mm · power supply: 300 mA DC · protection class III, IP20 · Spotlight for display case lighting, 35° swivel range · power: 1 W · lifespan L70B50: >= 48,000 h · diameter: 20 mm · height: 13 mm · light colour: 3000 K · CRI: >90 · beam angle: 30° · luminous flux: 58 lm

TECHNICAL DATA

Unit Code	pcs
BAR code	4251835731133
Housing colour	Gold
Height	13.00 mm
Outer diameter	20 mm
Hole size	18 mm
Depth in ceiling	12.00 mm
LED colour	ca. 3000K warmweiß
Lightoutput per fixture	58.00 lm
Lamp	including LED



rutec LIGHTDESIGN GmbH | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE




cut-out 18mm LD Spot 1W 300mA 30° 3000K gold

Article nr.: ALU53113

TECHNICAL DATA

IP rating	20
Power	1 W
Psb	0,00 W
Current mA	300 mA
Amount of LED	1
Material	Aluminium
Temperature range	-20 - 45
CRI	≥ 90
Lifetime L70B50	48.000 h
Suitable light source	



rutec LIGHTDESIGN GmbH | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE



cut-out 18mm LD Spot 1W 300mA 30° 3000K gold

Article nr.: ALU53113

TECHNICAL DRAWING

