



**TALU LED-Einbaustrahler ohne Konverter
schwenk., rund, 350mA, 8W, IP20,
3000K, CRI90-Weiß matt**
Article nr.: ALU57341WWOK-M

for indoor use, IP20 · · housing: diecast aluminium, glass reflector, protective glass · housing color: white · 30° swiveling · beam angle: 40° · power: 8 W · light color: 3,000 K · luminous flux: 715 lm · CRI: >90 · lifetime L70B50: >= 54,000 h · input: 350 mA · protection class III · · installation depth: 40 mm · ceiling cut-out: 68 mm · outer diameter: 82 mm · energie efficiency class: F · not included LED converter

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094676418
Housing colour	Weiss
Height	31.00 mm
Outer diameter	82 mm
Hole size	68 mm
Depth in ceiling	40.00 mm
LED colour	ca. 3000K warmweiß
Lightoutput per fixture	715.00 lm
Lamp	including LED





**TALU LED-Einbaustrahler ohne Konverter
schwenk., rund, 350mA, 8W, IP20,
3000K, CRI90-Weiß matt**
Article nr.: ALU57341WWOK-M

TECHNICAL DATA

IP rating	20
Power	8 W
Psb	0,00 W
Current mA	350 mA
Lamp base	ohne
Material	Aluminium
Temperature range	-20 - 45
Energy efficiency class	EEK-Label_F
CRI	≥ 90
Lifetime L70B50	54.000 h
Lifetime L90B10	46.000 h
Suitable light source	





TALU LED-Einbaustrahler ohne Konverter
schwenk., rund, 350mA, 8W, IP20,
3000K, CRI90-Weiß matt
Article nr.: ALU57341WWOK-M

TECHNICAL DRAWING

