



**3000K 25° 350mA CRI90 m.Scheibe LED
Einbaustr. 8W chrommatt.o.Konv.**
Article nr.: ALU57359WWOK

for indoor use, IP 20 · housing: diecast aluminum, glass reflector, protective glass · housing color: chrome matt · 30° swivelling · beam angle: 25° · power: 8 W · light color: 3000 K · luminous flux: 733 lm · CRI: >90 · lifetime L70B50: >= 50.000 h · input: 350 mA DC · protection class III, MM · installation depth: 40 mm · ceiling cut-out: 68 mm · outer diameter: 82 mm · energie efficiency class: F · not included LED converter · SECONDLIFE ITEM -heavily discounted- only while stocks last!

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094473598
Housing colour	Chrom matt
Height	31.00 mm
Outer diameter	82 mm
Hole size	68 mm
Depth in ceiling	40.00 mm
LED colour	ca. 3000K warmweiß
Lightoutput per fixture	733.00 lm
Lamp	including LED





**3000K 25° 350mA CRI90 m.Scheibe LED
Einbaustr. 8W chrommatt.o.Konv.**
Article nr.: ALU57359WWOK

TECHNICAL DATA

IP rating	20
Power	8 W
Current mA	350 mA
Lamp base	ohne
Amount of LED	1
Material	Aluminium
Temperature range	-20 - 40
Energy efficiency class	EEK-Label_F
CRI	≥ 90
Lifetime L70B50	50.000 h
Suitable light source	





3000K 25° 350mA CRI90 m.Scheibe LED
Einbaustr. 8W chrommatt.o.Konv.
Article nr.: ALU57359WWOK

TECHNICAL DRAWING

