



3000K 25° 350mA CRI80 LED Einbaustr. 8W altmess.o.Konv.

Article nr.: ALU57376WWOK

for indoor use, IP 20 · · housing: diecast aluminum, glass reflector · housing color: old brass · 30° swivelling · beam angle: 25° · power: 8 W · light color: 3000 K · luminous flux: 941 lm · CRI: >80 · lifetime L70B50: >= 50.000 h · input: 350 mA DC · protection class III, MM · · installation depth: 35 mm · ceiling cut-out: 68 mm · outer diameter: 82 mm · energie efficiency class: E · not included LED converter

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094573762
Housing colour	Altmessing
Height	25.00 mm
Outer diameter	82 mm
Hole size	68 mm
Depth in ceiling	35.00 mm
LED colour	ca. 3000K warmweiß
Lightoutput per fixture	941.00 lm
Lamp	including LED






3000K 25° 350mA CRI80 LED Einbaustr. 8W altmess.o.Konv.

Article nr.: ALU57376WWOK

TECHNICAL DATA

IP rating	20
Power	8 W
Current mA	350 mA
Lamp base	ohne
Amount of LED	1
Material	Aluminium
Temperature range	-20 - 40
Energy efficiency class	EEK-Label_E
CRI	≥ 80
Lifetime L70B50	50.000 h
Suitable light source	





**3000K 25° 350mA CRI80 LED Einbaustr.
8W altmess.o.Konv.**

Article nr.: ALU57376WWOK

TECHNICAL DRAWING

