



**ALUSPIEGEL 40° 350mA CRI80 3000K
TALU POWER 10W weiss m.Konverter**
Article nr.: ALU58371WW

LED recessed downlight 10 Watt Bridgelux COB LED, movable CRI 80 and · CRI 90 · · Compact LED high-powered recessed downlight with only 45mm installation depth. · for indoor use · diecast aluminium, aluminium reflector · Light colour: WW 3000 K (100 K) warm white · Light flux CRI 80: 1180 Lumen, CRI 90: 860 Lumen · Beam angle 40° · Input current: 350mA · Lifespan: 30000 hours · Variations: without converter, with converter · and with dimmable converter

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094483719
Housing colour	Weiss
Outer diameter	82 mm
Hole size	68 mm
Depth in ceiling	45.00 mm
LED colour	ca. 3000K warmweiß
Lightoutput per fixture	1180.00 lm
Lamp	including LED
IP rating	20





ALUSPIEGEL 40° 350mA CRI80 3000K
TALU POWER 10W weiss m.Konverter
Article nr.: ALU58371WW

TECHNICAL DATA

Power	10 W
Current mA	350 mA
Lamp base	ohne
Amount of LED	1
Material	Aluminium
Temperature range	-20 - 40
Suitable light source	





ALUSPIEGEL 40° 350mA CRI80 3000K
TALU POWER 10W weiss m.Konverter
Article nr.: ALU58371WW

TECHNICAL DRAWING

