rutec LIGHTDESIGN GmbH | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE



BAN COB LED-Einbaustrahler

schwenkbar, rund, 350mA, 7W, IP40, 2700K, CRI90-weiss

Article nr.: PEG351UWWOK

for indoor use, IP40 · · housing: diecast aluminium, PC reflector, protective screen · housing colour: matt white · swiveling 2x25° · beam angle: 40° · power: 7 W · light colour: 2700 K · luminous flux: 620 lm · CRI: >90 · lifespan L70B50: >= 50.000 h · input current: 350 mA DC · protection class III · · installation depth: 60 mm · ceiling cut out: 68 mm · outer diameter: 82 mm · energy efficiency class: F · without constant current converter - please order separately

TECHNICAL DATA

Unit Code	pcs
BAR code	4251835853514
Housing colour	Weiss
Height	50.00 mm
Outer diameter	82 mm
Hole size	68 mm
Depth in ceiling	60.00 mm
LED colour	ca. 2700K ultra warmweiß
Lightoutput per fixture	620.00 lm
Lamp	including LED



rutec LIGHTDESIGN GmbH | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE



BAN COB LED-Einbaustrahler

schwenkbar, rund, 350mA, 7W, IP40, 2700K, CRI90-weiss

Article nr.: PEG351UWWOK

TECHNICAL DATA

IP rating	40
Power	7 W
Current mA	350 mA
Lamp base	ohne
Material	Aluminium
Temperature range	-20 - 50
Energy ffficiency class	EEK-Label_F
CRI	≥ 90
Lifetime L70B50	50.000 h
Suitable light source	



rutec LIGHTDESIGN GmbH | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE



BAN COB LED-Einbaustrahler

schwenkbar, rund, 350mA, 7W, IP40, 2700K, CRI90-weiss

Article nr.: PEG351UWWOK

TECHNICAL DRAWING

