



starr - weiß 350mA LD LED Einbaustr. 6, 5W IP 44 o.Konverter

Article nr.: R57881WWOK

for indoor use, IP40 · Housing: steel sheet (black), leaf springs · Cover panel: die-cast aluminum, clear protective glass · Housing colour: white matt · Beam angle: 24° · Power: 6,5 W · Light colour: 3000 K · Luminous flux: 454 lm · CRI: >80 · Lifespan L70B50: >= 50.000 h · Input current: 350 mA · Protection class: III · Installation depth: 70 mm · Ceiling cut-out: 72 mm · Outer diameter: 85 mm · energy efficiency class: G

TECHNICAL DATA

Unit Code	pcs
BAR code	4012094278810
Housing colour	Weiss matt
Height	62.00 mm
Outer diameter	82 mm
Hole size	72 mm
Depth in ceiling	70.00 mm
LED colour	ca. 3000K warmweiß
Lightoutput per fixture	454.00 lm
Lamp	including LED





**starr - weiß 350mA LD LED Einbaustr. 6,
5W IP 44 o.Konverter**
Article nr.: R57881WWOK

TECHNICAL DATA

IP rating	44
Power	6,5 W
Psb	0,00 W
Current mA	350 mA
Material	Aluminium
Temperature range	-20 - 50
Energy efficiency class	EEK-Label_G
CRI	≥ 80
Lifetime L70B50	50.000 h
Suitable light source	





**starr - weiß 350mA LD LED Einbaustr. 6,
5W IP 44 o.Konverter**
Article nr.: R57881WWOK

TECHNICAL DRAWING

