


VARDAflex Platin TUBE RGBW-2700K LD S?-?? Flex.LEDStrip, 24V, RGBW

Article nr.: S76027

Flexible LED Stripe sealed in UV-, chlorine-, · salt water-, solventresistant white silicone · for indoor- and outdoor use, IP68 · · Cuttable every 100 mm / 6 LEDs · Amount of LEDs per meter: 60 · LED pitch: 16.67 mm · Beam angle: 160° · CRI: >80 · Light colour: RGBW (2.700 K) · Luminous flux per meter: 450 lm · Voltage: 24V DC · Power per Meter: 15 W · Lifetime L70: >= 36.000 h · WxH in mm: 11.5 x 29 · · Temperature range: -40 to +50°C · Processing temperature: +10 to +50°C · Maximum length per connection: 5 meter · Bending radius: 60 mm horizontal

TECHNICAL DATA

Unit Code	metre
BAR code	4012094760278
Housing colour	Weiss
Width	11.50 mm
Height	29.00 mm
LED colour	RGBW 2700K
Lightoutput per LED	7.50 lm
Lamp	including LED
IP rating	68
Voltage	24 V




VARDAflex Platin TUBE RGBW-2700K LD S?-?? Flex.LEDStrip, 24V, RGBW

Article nr.: S76027

TECHNICAL DATA

Material	Kunststoff
Temperature range	-40 - 50
LED per meter	60
Dimension of segments	100.00 mm
CRI	≥ 80
Lifetime L70B50	36.000 h
Suitable light source	



VARDAflex Platin TUBE RGBW-2700K LD S?-?? Flex.LEDStrip, 24V, RGBW

Article nr.: S76027

TECHNICAL DRAWING

