




VARDAflex Platin SV HT - 2700K LD S?- ?? Flex.LEDStrip, 24V, UWW

Article nr.: S76043

Flexible LED Stripe sealed in UV-, chlorine-, · salt water-, solvent- and heat-resistant special silicone · for indoor- and outdoor use, IP68 · specially for the sauna area · cuttable every 83.33 mm / 6 LEDs · amount of LEDs per meter: 72 · LED pitch: 13.89 mm · beam angle: 120° · CRI: >80 · luminous flux per meter: 240 lm · voltage: 24V DC · power per meter: 6 W · lifespan L70B50: >= 36,000 h · WxH in mm: 11.5 x 21 · · Temperature range: -45 to +90°C · Processing temperature: +10 to +90°C · Maximum length per connection: 10 meter · min. bending radius vertical: 60 mm

TECHNICAL DATA

Unit Code	metre
BAR code	4012094760438
Housing colour	Weiss
Width	11.50 mm
Height	21.00 mm
LED colour	ca. 2700K ultra warmweiß
Lightoutput per LED	3.33 lm
Lamp	including LED
IP rating	68
Psb	0,00 W






VARDAflex Platin SV HT - 2700K LD S?- ?? Flex.LEDStrip, 24V, UWW

Article nr.: S76043

TECHNICAL DATA

Voltage	24 V
Material	Kunststoff
Temperature range	-45 - 90
LED per meter	72
Dimension of segments	83.33 mm
CRI	≥ 80
Lifetime L70B50	36.000 h
Suitable light source	





**VARDAflex Platin SV HT - 2700K LD S?-
?? Flex.LEDStrip, 24V, UWW**
Article nr.: S76043

TECHNICAL DRAWING

