




VARDAf.Platin GIGA SVQ RGBW-30K
48V LD S?-?? Flex.LEDStrip, 48V, RGB-
3000K 8W
 Article nr.: S76103

Flexible LED strip with a uniform light output, sealed in UV-, chlorine-, · salt water- and solvent resistant white silicone · for indoor and outdoor use, IP68 · cuttable every 125 mm / 8 LEDs · number of LEDs per meter: 96 · LED pitch: 10.42 mm · beam angle: 120° · CRI: >80 · luminous flux per meter: lm · luminous flux per meter 3000 K: lm · power per meter: 8 W · lifespan L70B50: >= 36,000 h · WxH in mm: 22 x 22 · temperature range: -40 to +55°C · processing temperature: +10 to +55°C · maximum length per connection: 30 meter · bending diameter vertical: 400 mm · This product contains a light source of energy efficiency class E · Attention: do not run all colours at same time under maximum load (max. 80%)

TECHNICAL DATA

Unit Code	metre
Housing colour	Weiss
Length	22.00 mm
Width	22.00 mm
LED colour	RGBW 3000K
Lamp	including LED
IP rating	68
Power	8 W
Psb	0,00 W
Voltage	48 V






VARDAf.Platin GIGA SVQ RGBW-30K
48V LD S?-?? Flex.LEDStrip, 48V, RGB-
3000K 8W
 Article nr.: S76103

TECHNICAL DATA

Material	Kunststoff
Temperature range	-40 - 55
LED per meter	96
Dimension of segments	125.00 mm
CRI	≥ 80
Lifetime L70B50	36.000 h
Suitable light source	





VARDaf. Platin GIGA SVQ RGBW-30K
48V LD S?-?? Flex.LEDStrip, 48V, RGB-
3000K 8W
 Article nr.: S76103

TECHNICAL DRAWING

