



VARDAflex Platin RGBW-2700K


Intellig.8 LD S?-?? Flex.LEDStrip, 24V, RGBW

Article nr.: S76107

Flexible LED Stripe sealed in UV-, Chlorine-, · salt water- and solvent resitant white silicone · for indoor- and outdoor use, IP68 · · cuttable every 125 mm / 7 LEDs · amount of LEDs per meter: 56 · programmable pixel per meter: 8 · LED pitch: 17,86 mm · beam angle: 160° · CRI: >80 · light colour: RGBW (2700 K) · luminous flux per metre: 100 lm · power per meter: 15 W · lifespan L70: >= 36.000 h · WxH in mm: 11.5 x 21 · · temperature range: -40 to +50°C · processing temperature: +10 to +50°C · maximum length per connection: 10 meter · Easy installation due to solder-free connectors (optional) · bending radius horizontal: 60 mm · Attention: do not run all at same time on · maximum load (max. 80%)

TECHNICAL DATA

Unit Code	metre
BAR code	4012094061078
Housing colour	Weiss
Width	11.50 mm
Height	21.00 mm
LED colour	RGBW 2700K
Lightoutput per LED	1.79 lm
Lamp	including LED
IP rating	68
Voltage	24 V






VARDAflex Platin RGBW-2700K

**Intellig.8 LD S?-?? Flex.LEDStrip, 24V,
RGBW**

Article nr.: S76107

TECHNICAL DATA

Material	Kunststoff
Temperature range	-40 - 50
LED per meter	56
Dimension of segments	125.00 mm
CRI	≥ 80
Lifetime L70B50	36.000 h
Suitable light source	





VARDAflex Platin RGBW-2700K

**Intellig.8 LD S?-?? Flex.LEDStrip, 24V,
RGBW**

Article nr.: S76107

TECHNICAL DRAWING

