



VARDAf.Platin GIGA TVQ RGBW-27K 48V LD S?-?? Flex.LEDStrip, 48V, RGB- 2700K

Article nr.: S76223

flexible LED Stripe sealed in UV-, chlorine-, salt water- and solvent resistant white silicone · for indoor and outdoor use, IP68 · cuttable every 125 mm / 8 LEDs · number of LEDs per meter: 96 · LED pitch: 10.42 mm · beam angle: 120° · CRI: >80 · luminous flux per meter: 440 lm · luminous flux per meter 2700 K: 150 lm · power per meter: 8 W · lifespan L70B50: >= 36,000 h · WxH in mm: 22 x 19 · temperature range: -40 to +55°C · processing temperature: +10 to +55°C · maximum length per connection: 30 meter · bending radius vertical: 150 mm · attention: do not run all colors at same time on · maximum load (max. 80%) · This product contains a light source of energy efficiency class E

TECHNICAL DATA

Unit Code	metre
BAR code	4012094062235
Housing colour	Weiss
Width	22.00 mm
Height	19.00 mm
LED colour	RGBW 2700K
Lightoutput per LED	4.58 lm
Lamp	including LED
IP rating	68
Voltage	48 V






VARDaf.Platin GIGA TVQ RGBW-27K 48V LD S?-?? Flex.LEDStrip, 48V, RGB- 2700K

Article nr.: S76223

TECHNICAL DATA

Material	Kunststoff
Temperature range	-40 - 55
LED per meter	96
Dimension of segments	125.00 mm
CRI	≥ 80
Lifetime L70B50	36.000 h
Suitable light source	LED





VARDaf.Platin GIGA TVQ RGBW-27K 48V LD S?-?? Flex.LEDStrip, 48V, RGB- 2700K

Article nr.: S76223

TECHNICAL DRAWING

