



## **VARDAflex Platin Piko TVQ - BLUE LD**


### **S?-?? Flex.LEDStrip, 24V, blue**

Article nr.: S76631

flexible LED stripe sealed in UV-, chlorine-, · salt water-, solvent- and heat-resistant special silicone · for indoor- and outdoor use, IP67 · cuttable every 83.33 mm / 12 LEDs · number of LEDs per meter: 144 · LED pitch: 6.94 mm · beam angle: 160° · CRI: - · luminous flux per meter: 80 lm · voltage: 24V DC · power per meter: 4.5 W · lifespan L70B50: >= 36.000 h · WxH in mm: 10 x 10 · temperature range: - 40 to +65°C · processing temperature: +10 to +65°C · maximum length per connection: 15 meter · bending radius vertically: 50 mm

### TECHNICAL DATA

|                     |               |
|---------------------|---------------|
| Unit Code           | metre         |
| BAR code            | 4012094666310 |
| Housing colour      | Weiss         |
| Width               | 10.00 mm      |
| Height              | 10.00 mm      |
| LED colour          | Blau          |
| Lightoutput per LED | 0.49 lm       |
| Lamp                | including LED |
| IP rating           | 67            |
| Voltage             | 24 V          |






**VARDAflex Platin Piko TVQ - BLUE LD**  
**S?-?? Flex.LEDStrip, 24V, blue**  
Article nr.: S76631

## TECHNICAL DATA

|                       |            |
|-----------------------|------------|
| Material              | Kunststoff |
| Temperature range     | -40 - 65   |
| LED per meter         | 144        |
| Dimension of segments | 83.33 mm   |
| Lifetime L70B50       | 36.000 h   |
| Suitable light source |            |





## VARDAflex Platin Piko TVQ - BLUE LD

### S?-?? Flex.LEDStrip, 24V, blue

Article nr.: S76631

## TECHNICAL DRAWING

