rutec LIGHTDESIGN GmbH | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE



VARDAflex Platin Piko Ultra TVQ-RGBW-30 LD ST-?? Flex.LEDStrip, 24V, RGBW-3000K

Article nr.: S76669

Flexible LED-Strip sealed in UV, chlorine, salt water · and solvent-resistant white silicone · for indoor- and outdoor use, IP66 · · cuttable every 100 mm or 14 LED · number of LED per metre: 140 · LED pitch: 7.14 mm · beam angle: 120° · CRI: >80 · luminous flux per meter: 374 lm · power per meter: 9 W · lifespan L70B50: >= 36,000 h · WxH in mm: 10 x 10 · · temperature range: -40 bis +55°C · processing temperature: +10 bis +50°C · maximum length per connection: 5 metres · bending radius vertically: 50 mm

TECHNICAL DATA

Unit Code	metre
BAR code	4012094666693
Housing colour	Weiss
Width	10.00 mm
Height	10.00 mm
LED colour	RGBW 3000K
Lamp	including LED
IP rating	66
Voltage	24 V
Material	Kunststoff

rutec LIGHTDESIGN GmbH | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE



VARDAflex Platin Piko Ultra TVQ-RGBW-30 LD ST-?? Flex.LEDStrip, 24V, RGBW-3000K

Article nr.: S76669

TECHNICAL DATA

Temperature range	-40 - 55
LED per meter	144
Dimension of segments	100.00 mm
CRI	≥ 80
Lifetime L70B50	36.000 h
Suitable light source	

rutec LIGHTDESIGN GmbH | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE



VARDAflex Platin Piko Ultra TVQ-RGBW-30 LD ST-?? Flex.LEDStrip, 24V, RGBW-3000K

Article nr.: S76669

TECHNICAL DRAWING

