




VARDAflex Neon Top - Amber LD S?-?? Flex.LEDStrip, 24V

Article nr.: S86051

Flexible LED Stripe sealed in UV-, chlorine-, salt water-, solventresistant white PVC · for indoor- and outdoor use, IP67/68 · Cuttable every 83.33 mm / 9 LEDs · Amount of LEDs per meter: 108 · LED pitch: 9.26 mm · Beam angle: 160° · CRI: - · Luminous flux per meter: 180 lm · Voltage: 24V DC · Power per Meter: 7,2 W · Lifetime L70: >= 36.000 h · Energy efficiency class: B · WxH in mm: 16 x 17 · Temperature range: -20 to +45°C · Processing temperature: +10 to +45°C · Maximum length per connection: 10 meter · Bending radius: 150 mm

TECHNICAL DATA

Unit Code	metre
BAR code	4012094760513
Housing colour	Weiss
Width	16.00 mm
Height	17.00 mm
LED colour	Gelb/Amber
Lightoutput per LED	2.14 lm
Lamp	including LED
IP rating	68
Voltage	24 V






VARDaflex Neon Top - Amber LD S?-?? Flex.LEDStrip, 24V

Article nr.: S86051

TECHNICAL DATA

Material	Kunststoff
Temperature range	-20 - 45
LED per meter	108
Dimension of segments	83.33 mm
Lifetime L70B50	36.000 h
Suitable light source	





VARDAflex Neon Top - Amber LD S?-?? Flex.LEDStrip, 24V

Article nr.: S86051

TECHNICAL DRAWING

