



VARDAflex Neon TVQ - 3500K LD S?-??


Flex.LEDStrip, 24V, WW

Article nr.: S86055

Flexible LED Stripe sealed in UV-, chlorine-, salt water-, solventresistant white PVC · for indoor- and outdoor use, IP68 · Cuttable every 55,56 mm / 6 LEDs · Amount of LEDs per meter: 108 · LED pitch: 9,26 mm · Beam angle: 160° · CRI: >70 · Luminous flux per meter: 495 lm · Voltage: 24V DC · Power per Meter: 11 W · Lifetime L70: >= 36.000 h · WxH in mm: 16 x 17 · Temperature range: -20 to +45°C · Processing temperature: +10 to +45°C · Maximum length per connection: 10 meter · Bending radius: 150 mm

TECHNICAL DATA

Unit Code	metre
BAR code	4012094760551
Housing colour	Weiss
Width	16.00 mm
Height	17.00 mm
LED colour	ca. 3500 K warmweiß
Lightoutput per LED	4.58 lm
Lamp	including LED
IP rating	68
Voltage	24 V






VARDAflex Neon TVQ - 3500K LD S?-??
Flex.LEDStrip, 24V, WW
Article nr.: S86055

TECHNICAL DATA

Material	Kunststoff
Temperature range	-20 - 45
LED per meter	108
Dimension of segments	55.56 mm
CRI	≥ 70
Suitable light source	





VARDAflex Neon TVQ - 3500K LD S?-??
Flex.LEDStrip, 24V, WW
Article nr.: S86055

TECHNICAL DRAWING

