




VARDAflex Neon TVQ - CRI80 3000K LD S?-?? Flex.LEDStrip, 24V, WW

Article nr.: S86059

Flexible LED-Strip sealed in UV, chlorine, salt water · and solvent-resistant white PVC · · for indoor- and outdoor use, IP68 · · cuttable every 56.56 mm or 6 LED · Number of LED per metre: 108 · LED Pitch: 9.26 mm · Beam Angle: 160° · CRI: > 80 · Luminous flux per meter: 540 lm · Power per meter: 11 W · Lifespan L70: >= 36.000 h · WxH in mm: 16 x 17 · · Temperature range: -20 bis +45°C · Processing temperature: +10 bis +45°C · Maximum length per connection: 10 metres · Bending radius: 150 mm

TECHNICAL DATA

Unit Code	metre
BAR code	4012094760599
Housing colour	Weiss
Width	16.00 mm
Height	17.00 mm
LED colour	ca. 3000K warmweiß
Lightoutput per LED	5.00 lm
Lamp	including LED
IP rating	68
Voltage	24 V






VARDAflex Neon TVQ - CRI80 3000K LD S?-?? Flex.LEDStrip, 24V, WW

Article nr.: S86059

TECHNICAL DATA

Material	Kunststoff
Temperature range	-20 - 45
LED per meter	108
Dimension of segments	55.56 mm
CRI	≥ 80
Lifetime L70B50	36.000 h
Suitable light source	





VARDAflex Neon TVQ - CRI80 3000K LD
S?-?? Flex.LEDStrip, 24V, WW
Article nr.: S86059

TECHNICAL DRAWING

