



VARDaflex Neon Top RGBW-27K


Int.Twelve LD S?-?? Flex.LEDStrip, 24V,
RGBW

Article nr.: S86078

flexible LED Stripe sealed in UV-, chlorine-, salt water- and solvent resistant white PVC · for indoor- and outdoor use, IP68 · cuttable every 83.33 mm / 7 LEDs · amount of LEDs per meter: 84 · LED pitch: 11.90 mm · beam angle: 160° · CRI: >80 · luminous flux per meter: 400 lm · Pixel per meter: 12 · power per meter: 22 W · lifetime L70: >= 36.000 h · WxH in mm: 16 x 17 · temperature range: -20 to +45°C · processing temperature: +10 to +45°C · maximum length per connection: 5 meter · bending radius: 150 mm · attention: do not run all colors at same time on · maximum load (max. 80%)

TECHNICAL DATA

Unit Code	metre
BAR code	4012094760780
Housing colour	Weiss
Width	16.00 mm
Height	17.00 mm
LED colour	RGBW 2700K
Lightoutput per LED	4.76 lm
Lamp	including LED
IP rating	68
Voltage	24 V






VARDAflex Neon Top RGBW-27K

**Int.Twelve LD S?-?? Flex.LEDStrip, 24V,
RGBW**

Article nr.: S86078

TECHNICAL DATA

Material	Kunststoff
Temperature range	-20 - 45
LED per meter	84
Dimension of segments	83.33 mm
CRI	≥ 80
Lifetime L70B50	36.000 h
Suitable light source	





VARDAflex Neon Top RGBW-27K

Int.Twelve LD S?-?? Flex.LEDStrip, 24V,
RGBW

Article nr.: S86078

TECHNICAL DRAWING

