

VARDAflex Neon RGB Intell.Eight LD S?- ?? Flex.LEDStrip, 24V, RGB


Article nr.: S86106

Flexible LED Stripe sealed in UV-, chlorine-, · salt water-, solventresistant white PVC · for indoor- and outdoor use, IP67/68 · · Cuttable every 125 mm / 7 LEDs · Amount of LEDs per meter: 56 · LED pitch: 17.86 mm · Beam angle: 160° · CRI: - · Luminous flux per meter: 107 lm · Pixel per meter: 8 · Voltage: 24V DC · Power per Meter: 12 W · Lifetime L70: >= 36.000 h · WxH in mm: 11.5 x 21 · · Temperature range: -20 to +45°C · Processing temperature: +10 to +45°C · Maximum length per connection: 10 meter · Bending radius: 60 mm

TECHNICAL DATA

Unit Code	metre
BAR code	4012094761060
Housing colour	Weiss
Width	11.50 mm
Height	21.00 mm
LED colour	RGB
Lightoutput per LED	1.91 lm
Lamp	including LED
IP rating	68
Voltage	24 V







VARDAflex Neon RGB Intell.Eight LD S?- ?? Flex.LEDStrip, 24V, RGB

Article nr.: S86106

TECHNICAL DATA

Material	Kunststoff
Temperature range	-20 - 45
LED per meter	56
Dimension of segments	125.00 mm
Lifetime L70B50	36.000 h
Suitable light source	





VARDAflex Neon RGB Intell.Eight LD S?- ?? Flex.LEDStrip, 24V, RGB

Article nr.: S86106

TECHNICAL DRAWING

