



VARDAflex Neon RGB Int.Two LD S?-?? Flex.LEDStrip, 24V, RGB

Article nr.: S86116

Flexible LED Stripe sealed in UV-, chlorine-, · salt water-, solventresistant white PVC · for indoor- and outdoor use, IP67/68 · · Cuttable every 500 mm / 28 LEDs · Amount of LEDs per meter: 56 · LED pitch: 17.86 mm · Beam angle: 160° · CRI: - · Luminous flux per meter: 107 lm · Pixel per meter: 2 · Voltage: 24V DC · Power per Meter: 12 W · Lifetime L70: >= 36.000 h · WxH in mm: 11.5 x 21 · · Temperature range: -20 to +45°C · Processing temperature: +10 to +45°C · Maximum length per connection: 10 meter · Bending radius: 60 mm

TECHNICAL DATA

Unit Code	metre
BAR code	4012094761169
Housing colour	Weiss
Width	11.50 mm
Height	21.00 mm
LED colour	RGB
Lightoutput per LED	1.91 lm
Lamp	including LED
IP rating	68
Voltage	24 V






VARDAflex Neon RGB Int.Two LD S?-?? Flex.LEDStrip, 24V, RGB

Article nr.: S86116

TECHNICAL DATA

Material	Kunststoff
Temperature range	-20 - 45
LED per meter	56
Dimension of segments	500.00 mm
Lifetime L70B50	36.000 h
Suitable light source	





VARDAflex Neon RGB Int.Two LD S?-??
Flex.LEDStrip, 24V, RGB
Article nr.: S86116

TECHNICAL DRAWING

