
**rutec LIGHTDESIGN GmbH** | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE



# VARDAflex Neon TVQ BLACK - 2700K LD S?-?? Flex.LEDStrip, 24V, UWW


Article nr.: S86503

Flexible LED Stripe sealed in UV-, chlorine-, · salt water-, solventresistant white PVC · for indoor- and outdoor use, IP67/68 · · cuttable every 55.56 mm / 7 LEDs · amount of LEDs per meter: 126 · LED pitch: 7.94 mm · beam angle: 120° · CRI: >80 · luminous flux per meter: 97 lm · voltage: 24V DC · power per Meter: 12 W · lifespan L70B50: >= 36,000 h · WxH in mm: 16 x 17 · · temperature range: -20 to +45°C · installation temperature: +10 to +45°C · maximum length per connection: 10 meter · bending radius vertical: 150 mm · this product contains a light source of energy efficiency class E.

## TECHNICAL DATA

| | |
|---|---|
| Unit Code | metre |
| BAR code | 4012094865034 |
| Housing colour | Schwarz |
| Width | 16.00 mm |
| Height | 17.00 mm |
| LED colour | ca. 2700K ultra warmweiß |
| Lightoutput per LED | 0.77 lm |
| Lamp | including LED |
| IP rating | 68 |
| Psb | 0,00 W |

**rutec LIGHTDESIGN GmbH** | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE



# VARDAflex Neon TVQ BLACK - 2700K LD S?-?? Flex.LEDStrip, 24V, UWW

Article nr.: S86503

## TECHNICAL DATA

| | |
|---|---|
| Voltage | 24 V |
| Material | Kunststoff |
| Temperature range | -20 - 45 |
| LED per meter | 126 |
| Dimension of segments | 55.56 mm |
| CRI | ≥ 80 |
| Lifetime L70B50 | 36.000 h |
| Suitable light source | |

rutec LIGHTDESIGN GmbH | Carl-Zeiss-Str. 13 | 28857 Syke
TEL +49 4242 / 84034 - 0 | E-MAIL INFO@RUTECLIGHTDESIGN.DE | WWW.RUTECLIGHTDESIGN.DE



# VARDAflex Neon TVQ BLACK - 2700K LD S?-?? Flex.LEDStrip, 24V, UWW

Article nr.: S86503

## TECHNICAL DRAWING

