




VARDAflex Neon Piko TVQ - Amber LD S?-?? Flex.LEDStrip, 24V, Amber

Article nr.: S86631

Flexible LED-Strip sealed in UV, chlorine, salt water · and solvent-resistant white PVC · for indoor- and outdoor use, IP20/66 · · Cuttable every 83.33 mm or 12 LED · Number of LEDs per metre: 144 · LED pitch: 6.94 mm · Beam Angle: 160° · CRI: > - · Luminous flux per meter: 55 lm · Power per meter: 4.5 W · Energy efficiencyclass: E · Lifespan L70: >= 36.000 h · WxH in mm: 10 x 10 · · Temperature range: - 20 bis +45°C · Processing temperature: +10 bis +45°C · Maximum length per connection: 10 metres · Bending radius: 50 mm

TECHNICAL DATA

Unit Code	metre
BAR code	4012094766317
Housing colour	Weiss
Width	10.00 mm
Height	10.00 mm
LED colour	Gelb/Amber
Lightoutput per LED	0.38 lm
Lamp	including LED
IP rating	66
Voltage	24 V






VARDAflex Neon Piko TVQ - Amber LD
S?-?? Flex.LEDStrip, 24V, Amber
Article nr.: S86631

TECHNICAL DATA

Material	Kunststoff
Temperature range	-20 - 45
LED per meter	144
Dimension of segments	83.33 mm
Lifetime L70B50	36.000 h
Suitable light source	





VARDAflex Neon Piko TVQ - Amber LD
S?-?? Flex.LEDStrip, 24V, Amber
Article nr.: S86631

TECHNICAL DRAWING

